Safe Work Australia - Code of Practice

Caesium chloride ROTI®METIC 99,999 % (5N)



article number: **5061** Version: **GHS 1.0 en**

date of compilation: 2020-03-30

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

Caesium chloride

5061

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a)

EC number CAS number 231-600-2 7647-17-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified us	ses:
---------------	------

laboratory chemical laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Informa- tion Centre Childrens Hospital	Hawkesbury Road	2145 Westmead, NSW	131126	

Emergency information service

Poison Centre Munich: +49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Classification acc. to GHS					
Section	Hazard class	Hazard class and cat- egory	Hazard state- ment		
3.7	reproductive toxicity	(Repr. 2)	H361fd		

Safe Work Australia - Code of Practice

Caesium chloride ROTI®METIC 99,999 % (5N)



article number: 5061

2.2 Label elements

Labelling GHS

Signal word Warning

Pictograms

GHS08



Hazard statements

H361fd

Suspected of damaging fertility. Suspected of damaging the unborn child (if exposed)

Precautionary statements

Precautionary statements - prevention

P202Do not handle until all safety precautions have been read and understood.P281Use personal protective equipment as required.

Precautionary statements - response

P308+P313 IF exposed or concerned: Get medical advice/attention.

Precautionary statements - storage

P405 Store locked up.

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning





H361fdSuspected of damaging fertility. Suspected of damaging the unborn child (if exposed).P202Do not handle until all safety precautions have been read and understood.P281Use personal protective equipment as required.P308+P313IF exposed or concerned: Get medical advice/attention.P405Store locked up.P501Dispose of contents/container to industrial combustion plant.

2.3 Other hazards

There is no additional information.

Safe Work Australia - Code of Practice

Caesium chloride ROTI®METIC 99,999 % (5N)



article number: 5061

3.1

SECTION 3: Composition/information on ingredients

Caesium chloride
231-600-2
7647-17-8
CsCl
168.4 ^g / _{mol}

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Malaise.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO₂)

Safe Work Australia - Code of Practice

Caesium chloride ROTI®METIC 99,999 % (5N)



article number: 5061

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: hydrogen chloride (HCl)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid exposure. Avoid dust formation.

• Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Safe Work Australia - Code of Practice

Caesium chloride ROTI®METIC 99,999 % (5N)

article number: **5061**

- Control of effects
- Protect against external exposure, such as

humidity

- Consideration of other advice
- Ventilation requirements
- Use local and general ventilation.
- Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

Relevant DNELs/DMELs/PNECs and other threshold levels

• human health values

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	1.47 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	4.18 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

• environmental values

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	1.25 ^{mg} / _l	freshwater	short-term (single instance)
PNEC	0.13 ^{mg} / _l	marine water	short-term (single instance)
PNEC	100.3 ^{mg} / _l	sewage treatment plant (STP)	short-term (single instance)
PNEC	4.9 ^{mg} / _{kg}	freshwater sediment	short-term (single instance)
PNEC	0.49 ^{mg} / _{kg}	marine sediment	short-term (single instance)
PNEC	0.25 ^{mg} / _{kg}	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Page 5 / 12



Safe Work Australia - Code of Practice

Caesium chloride ROTI®METIC 99,999 % (5N)

ROTH

article number: 5061

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid (crystalline)
Colour	white
Odour	odourless
Odour threshold	No data available
Other physical and chemical parameters	
pH (value)	7 – 9 (water: 50 ^g / _l , 20 °C)
Melting point/freezing point	642 °C at 1,013 hPa
Initial boiling point and boiling range	1,303 °C at 1,013 hPa

Safe Work Australia - Code of Practice

Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061



CIE	e number: 5061	
	Flash point	not applicable
	Evaporation rate	no data available
	Flammability (solid, gas)	These information are not available
	Explosive limits	
	 lower explosion limit (LEL) 	this information is not available
	• upper explosion limit (UEL)	this information is not available
	Explosion limits of dust clouds	these information are not available
	Vapour pressure	This information is not available.
	Density	3.97 ^g / _{cm³} at 20 °C
	Vapour density	This information is not available.
	Bulk density	~ 1,800 ^{kg} / _{m³}
	Relative density	Information on this property is not available.
	Solubility(ies)	
	Water solubility	>1,000 ^g / _l at 20 °C
	Partition coefficient	
	n-octanol/water (log KOW)	This information is not available.
	Auto-ignition temperature	>400 °C
	Decomposition temperature	no data available
	Viscosity	not relevant (solid matter)
	Explosive properties	Shall not be classified as explosive
	Oxidising properties	none
	Other information	
	Surface tension	72.8 ^{mN} / _m (20 °C)

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

- **10.2 Chemical stability** Hygroscopic solid.
- **10.3 Possibility of hazardous reactions** No known hazardous reactions
- **10.4 Conditions to avoid** There are no specific conditions known which have to be avoided.
- **10.5 Incompatible materials** There is no additional information.
- **10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
dermal	LD50	>2,000 ^{mg} / _{kg}	rat	ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Reproductive toxicity

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• First symptoms at low exposures

malaise

If swallowed

data are not available

• If in eyes

data are not available

• If inhaled

Inhalation of dust may cause irritation of the respiratory system

• If on skin

data are not available

Other information

None

Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	>79 ^{mg} /l	fish	ECHA	96 h
EC50	37.4 ^{mg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	106.1 ^{mg} / _l	algae	ECHA	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	>12.5 ^{mg} / _l	aquatic invertebrates	ECHA	21 d
NOEC	34 ^{mg} / _l	fish	ECHA	35 d
NOEC	12.5 ^{mg} / _l	aquatic invertebrates	ECHA	21 d
growth (EbCx) 10%	>1,000 ^{mg} / _l	microorganisms	ECHA	3 h

12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Safe Work Australia - Code of Practice

Caesium chloride ROTI®METIC 99,999 % (5N)



article number: 5061

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	
1 - 1 - 1		

14.4 Packing group

- 14.2 UN proper shipping name
- **14.3** Transport hazard class(es) Class

(not subject to transport regulations) not relevant

not relevant

ous goods regulations)

not relevant not assigned to a packing group

none (non-environmentally hazardous acc. to the danger-

14.5 Environmental hazards

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

- Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) Not subject to ADR, RID and ADN.
- International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

• International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National inventories

Substance is listed in the following national inventories:

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
РН	PICCS	substance is listed
TW	TCSI	substance is listed

Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

Country		National inventories	Status
US		TSCA	substance is listed
CSCL-ENCS DSL ECSI IECSC KECI NZIoC PICCS	AICSAustralian Inventory of Chemical SubstancesCSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical Substances Produced or Imported in ChinaKECIKorea Existing Chemicals InventoryNZIOCNew Zealand Inventory of Chemicals and Chemical SubstancesPICCSPhilippine Inventory of Chemicals and Chemical SubstancesREACH Reg.REACH registered substancesTCSITaiwan Chemical Substance Inventory		

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Wa-terways)	
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CMR	Carcinogenic, Mutagenic or toxic for Reproduction	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DMEL	Derived Minimal Effect Level	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")	
NLP	No-Longer Polymer	

Safe Work Australia - Code of Practice



Caesium chloride ROTI®METIC 99,999 % (5N)

article number: 5061

Abbr.	Descriptions of used abbreviations
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- UN Recommendations on the Transport of Dangerous Good Dangerous Goods Regulations (DGR) for the air transport (IATA) International Maritime Dangerous Goods Code (IMDG)
- -

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H361fd	suspected of damaging fertility. Suspected of damaging the unborn child (if exposed)

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.